

TECHNICAL VERIFICATION PROGRAM FOR IMPORTS OF NON-NEW LITHIUM BATTERIES INDONESIA



1. Regulation

Authority:	Ministry of Trade of the Republic of Indonesia
Notification:	Decree from the Ministry of Trade of the Republic of Indonesia IK.VPTI.0301.34 dated Aug.10, 2022.
Starting date:	22/08/2022
Appointed company(ies):	KSO Sucofindo – Surveyor Indonesia with BUREAU VERITAS BIVAC BV as subcontractor
Scope of the regulation:	Pre-shipment Technical Verification of goods imported into Indonesia
Assessment based on:	<ul style="list-style-type: none"> ▪ Quality, Quantity ▪ Supervision of loading and sealing of FCL containers ▪ Documentary review ▪ Import eligibility
Remark:	N/A

2. Products subject

Subjected goods:	See Annex 1
Second-hand goods:	N/A
Restricted goods:	N/A
Prohibited goods:	N/A
Counterfeited goods:	N/A
Exempted goods:	N/A
Minimum value subject to the programme:	No minimum value

3. Technical requirement

Labelling requirements:	Labelling or “inspected” sign on sampled packaging.
-------------------------	---

– DATA SHEET –

BUREAU VERITAS

Other specific requirements:	<p><i>As of 01/09/2009, fumigation of wooden packaging is required before shipment of goods to Indonesia.</i></p> <p><i>Photos of all the process of physical inspection (in particular photos to confirm the condition of goods), including the supervision of loading and sealing of FCL containers (Photo showing the inspector and container and/or vessel for bulk).</i></p> <ul style="list-style-type: none"> ❖ <i>For intact conditions:</i> <ul style="list-style-type: none"> • <i>Contain Pb, Hg=01% , and Cd=0.01%,</i> • <i>Witness the opening of a sample of packaging that is carried out by the exporter,</i> • <i>Make sure that there are signs of used on the battery;</i> • <i>Witness the voltage testing that is carried out by the exporter</i> • <i>Voltage must be 21 volts or less. If the result is above 22 volts, the physical verifications stopped.</i> • <i>Witness the repackaging by the exporter</i> ❖ <i>For Shredded / Chopped or powder condition:</i> <ul style="list-style-type: none"> • <i>Contain Pb, Hg=01% ; and Cds0.01%;</i> • <i>Total contain of Mangan, Nickel, Cobalt must be >25%:</i> • <i>Make sure the goods are in the form of fakes or thin strips, small cubes, and powder</i> • <i>The goods must be packaged separately according to the type of goods.</i> ❖ <i>Checking the inspection location of Non-New Lithium batteries (X.47), whether it is located in a factory or warehouse at the RFI stage.</i> ❖ <i>Checking the facilities and the flow process for the formation of the Non-New Lithium Batteries products. It is compared with the flow process received from the Importer at the time of VO submission and will be sent to BV via SLN web.</i> ❖ <i>If KSO doesn't receive the document of the flow process at the time of VO submission, then BV should ask the Exporter to provide the document before arranging the inspection.</i> ❖ <i>Checking the package of the products. If it is found that there are packaged goods (either old or new packaging) in any form that can protect the goods (such as cardboard, plastic wrap, etc.), it indicates that the goods are not a type of waste. Based on these findings, the inspection must be stopped and rejected.</i>
------------------------------	---

4. Application

Applicant:	<i>Importer</i>
Application name:	<i>Verification Order (VO)</i>
Issued by:	<i>KSO SCISI (KSO Sucofindo – Surveyor Indonesia)</i>
Amount by which the application value/quantity may be exceeded:	<i>No specific requirement for value. Quantity of products inspected should not exceed the quantity stipulated on the VO (For any increase, approval from KSO SCISI has to be obtained).</i>
Part shipment:	<i>Allowed</i>

– DATA SHEET –

BUREAU VERITAS

Changes from sea to air:	<i>No specific requirement</i>
Required documents:	<i>Final invoice, Packing list, and any other document deemed necessary. If no Final Documents received, Pro-forma documents can be used to issue the draft LS considering the different time zones inspection.</i>
Required information:	<i>Final invoice to show the breakdown of FOB value, origin and quantity of each line item.</i>
Application office(s):	<i>Application to be lodged by the importer to KSO. KSO transmits VOs to Bureau Veritas China.</i>

5. Control testing requirements

Applicable cases:	<i>N/A</i>
Laboratory criteria:	<i>N/A</i>
Testing:	<i>N/A</i>

6. Physical inspection requirements

Scope of inspection:	<i>Review of Quality, Quantity and Markings to ensure compliance between goods, documents and Verification Order.</i>
Destination inspection:	<i>Not allowed. Technical verification in the country of export.</i>
Witness of loading:	<i>Mandatory</i>
Seal of container:	<i>Mandatory for Full Container Load (FCLs)</i>
Sampling:	<i>N/A</i>
Validity:	<i>Inspection Report validity from inspection date is 30 days</i>
Type of report issued:	<i>Inspection report (IR)</i>

7. Conclusion of the Assessment

- *Draft Laporan Surveyor (DLS) submitted by Bureau Veritas BIVAC BV to KSO in XML format through electronic data transfer for further issuance of the final LS by KSO.*
- *Discrepancy Report (non-conformities report) is issued by Bureau Veritas BIVAC BV, should verification not be satisfactory or goods not compliant with Pro forma documents.*

LS is delivered to Importer and to the Ministry of Trade for clearance purposes.

8. Fees

Paid in advance by the importer to KSO Sucofindo – Surveyor Indonesia.

Nevertheless, Bureau Veritas BIVAC may invoice the Seller in the event of supplementary inspection visits (in vain or unsatisfactory results or Physical Inspection Report validity has expired). The costs incurred by the Seller in presenting the goods for inspection, such as unpacking, handling, testing, sampling, repacking... are for the account of the Seller.

9. Contact

REGIONAL CENTER SHANGHAI
4th Floor, No. 1288 Waimalu Road
Huangpu District
Shanghai – China
Tel: (86) 21 23 19 00 02
kso.vo@cn.bureauveritas.com

10. Other relevant information

N/A

11. Geographical inspection zones

Bureau Veritas BIVAC BV operates in Asia, Europe and America.

The information contained herein is for the purpose of facilitating Technical Verification program and does not relieve Exporters or Importers from their obligations in respect of compliance with the import regulations of the country of importation. Although every effort has been made to ensure the correctness of the information, as at the date of issuance of this datasheet, Bureau Veritas BIVAC does not accept any responsibility for errors or omissions and, furthermore, the information may subsequently be subject to change as may be announced by the Authorities in the country of importation. Consequently, Exporters are advised to check with Bureau Veritas BIVAC, prior to shipment of the goods, if there is any doubt concerning the issuance of a Survey Report (LS). For further information, or clarification, please contact Bureau Veritas China.

Annex 1: List of subjected goods

X47 NON-NEW LITHIUM BATTERIES	
HS Code 2022	Description of goods
85.07	Electric accumulators, including separators therefor, whether or not rectangular (including square).
8507.60	- Lithium-ion :
	-- Battery pack :
ex 8507.60.31	--- Of a kind used for laptops including notebooks and subnotebooks
ex 8507.60.32	--- Of a kind used for aircraft
ex 8507.60.33	--- Of a kind used for vehicles in Chapter 87
ex 8507.60.39	--- Other
ex 8507.60.90	-- Other
85.49	Electrical and electronic waste and scrap.
	- Waste and scrap of primary cells, primary batteries and electric accumulators; spent primary cells, spent primary batteries and spent electric accumulators :
8549.12	-- Other, containing lead, cadmium or mercury :
ex 8549.12.20	--- Of electric accumulators of a kind used in aircraft
ex 8549.12.90	--- Other
8549.13	-- Sorted by chemical type and not containing lead, cadmium or mercury :
ex 8549.13.20	--- Of electric accumulators of a kind used in aircraft
ex 8549.13.90	--- Other
8549.14	-- Unsorted and not containing lead, cadmium or mercury :
ex 8549.14.20	--- Of electric accumulators of a kind used in aircraft
ex 8549.14.90	--- Other
8549.19	-- Other :
ex 8549.19.20	--- Of electric accumulators of a kind used in aircraft
ex 8549.19.90	--- Other